



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

October 26, 2009

**SALIWANCHIK LLOYD & SALIWANCHIK**  
**A PROFESSIONAL ASSOCIATION**  
**PO Box 142950**  
**GAINESVILLE FL 32614**

Patent No. : 7,577,469 B1  
Inventor(s) : Jack L. Aronowitz, et al.  
Issued : August 18, 2009  
For **NONINVASIVE TRANSDERMAL**  
**SYSTEMS FOR DETECTING AN ANALYTE IN**  
**A BIOLOGICAL FLUID AND METHODS**  
Doc. No.: **ARO.104**

To Whom It May Concern:

The Certificate of Correction issued on October 27, 2009, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

Applicant submitted corrections on 1050 in claim and line number format. The cofc was issued in that format. The applicant notated that the error is in Column 61, Claim 61, but the correction should be properly labeled under --Column 61, Claim 61, line 8--. Attorney submitted the 1050 form in improper format. A new certificate of correction will be issued listing the proper format Column and line number.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(571)272-0483  
For Mary F. Diggs, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 756-1580